

FIG. 1




FIG. 2




FIG. 3 (a)




FIG. 3 (b)




FIG. 4





FIG. 5



5/13

Hiroyuki ATAKE Q93395  
 APPARATUS AND METHOD FOR MOLDING...  
 Filing Date: February 23, 2006  
 Drew Hissong 202-293-7060  
 5 of 13  
 Based on PCT/JP2004/012274

FIG. 6





FIG. 7



7/13

Hiroyuki ATAKE Q93395  
 APPARATUS AND METHOD FOR MOLDING...  
 Filing Date: February 23, 2006  
 Drew Hissong 202-293-7060  
 7 of 13  
 Based on PCT/JP2004/012274

FIG. 8





FIG. 9



9/13

Hiroyuki ATAKE Q93395  
 APPARATUS AND METHOD FOR MOLDING  
 Filing Date: February 23, 2006  
 Drew Hissong 202-293-7060  
 9 of 13  
 Based on PCT/JP2004/012274

FIG. 10





FIG. 11



11/13

Hiroyuki ATAKE Q93395  
APPARATUS AND METHOD FOR MOLDING,,  
Filing Date: February 23, 2006  
Drew Hissong 202-293-7060  
11 of 13  
Based on PCT/JP2004/012274

FIG. 12




FIG. 13

